

Velvet


40 Series




Model	Arm	Arm Length	Pole Dia	Height	Thickness
VL-4120	Single/Double	250	114MM*	3-8M	2-5MM
VL-4220	Single/Double	400	114MM*	3-8M	2-5MM
VL-4320	Single/Double	500	114MM*	3-8M	2-5MM
VL-4420	Single/Double	800	114MM*	3-8M	2-5MM

STD BS EN40	POLE S355JR	HDG BS EN 1461	WELD AWS D1.1
----------------	----------------	-------------------	------------------


Customization available upon request.



Coating



Accessories



VL-4120

VL-4220

VL-4320

VL-4420



Elegant


50 Series




Model	Arm	Arm Length	Pole Dia	Height	Thickness
EG-5120	Single/Double	500	114MM*	3-8M	2-5MM
EG-5220	Single/Double	600	114MM*	3-8M	2-5MM
EG-5320	Single/Double	800	127MM*	3-6M	2-5MM
EG-5420	---	---	90MM*	3-5M	2-5MM
EG-5520	Single/Double	600	114MM*	3-8M	2-5MM

STD BS EN40	POLE S355JR	HDG BS EN 1461	WELD AWS D1.1
----------------	----------------	-------------------	------------------


Customization available upon request.



Coating



Accessories



EG-5120

EG-5220

EG-5320

EG-5420

EG-5520



Floral


60 Series




Model	Arm	Arm Length	Pole Dia	Height	Thickness
FL-6120	Single/Double	800	114MM*	3-8M	2-5MM
FL-6220	Single/Double	1000	114MM*	3-8M	2-5MM
FL-6320	Single/Double	600	90MM*	3-8M	2-5MM
FL-6420	Single/Double	800	114MM*	3-8M	2-5MM
FL-6520	Single/Double	600	114MM*	3-8M	2-5MM

STD BS EN40	POLE S355JR	HDG BS EN 1461	WELD AWS D1.1
----------------	----------------	-------------------	------------------


Customization available upon request.



Coating



Accessories



FL-6120

FL-6220

FL-6320

FL-6420

FL-6520





Vibrant


70 Series



Model	Arm	Arm Length	Wattage	Height	Lumens
VR-7160-DA	Double	1200	2 x 60W	3-8M	19200
VR-72120-SA	Single	600	1 x 60W	3-8M	9600
VR-73120-DA	Double	1200	2 x 60W	3-8M	19200
VR-74180-TA	Triple	1800	3 x 60W	3-8M	28800



Coating



Accessories

CE	220V	POLE STEEL, Zn	LUMINAIRE AL	IP65	LED	2700K 4000K	CRI>80
----	------	-------------------	-----------------	------	-----	----------------	--------

Customization available upon request.



VR-7160-DA

VR-72120-SA

VR-73120-DA

VR-74180-TA

